§319.56-58

- (6) The cartons must be placed in insect-proof containers, and the containers sealed. The containers of sand pears must be safeguarded during transport to the United States in a manner that will prevent pest infestation.
- (d) Shipping requirements. Sealed containers of sand pears destined for export to the United States must be held in a cold storage facility while awaiting export.
- (e) Phytosanitary certificate. Each consignment of sand pears imported from China into the United States must be accompanied by a phytosanitary certificate issued by the NPPO of China with an additional declaration stating that the requirements of this section have been met and the consignment has been inspected and found free of quarantine pests.
- (f) Additional conditions for sand pears from areas of China south of the 33rd parallel. In addition to the conditions in paragraphs (a) through (e) of this section, sand pears from areas of China south of the 33rd parallel must meet the following conditions for importation into the United States:
- (1) The place of production of the pears and the packinghouse in which they are packed must have a trapping system in place for *B. dorsalis*. At a minimum, the trapping system must meet the requirements of the operational work plan.
- (2) The place of production or the packinghouse must retain data regarding the number and location of the traps, as well as any pests other than *B. dorsalis* that have been caught, and make this information available to APHIS upon request.
- (3)(i) The place of production or packinghouse must notify the NPPO of China, and the NPPO of China must notify APHIS, regarding the detection of a single *B. dorsalis* in a place of production, packinghouse, or surrounding area within 48 hours of the detection.
- (ii) If a single *B. dorsalis* is detected in a registered place of production, APHIS will prohibit the importation into the United States of sand pears from the place of production until any mitigation measures determined by APHIS to be necessary to prevent future infestations are taken.

- (iii) If a single *B. dorsalis* is detected in a registered packinghouse, the packinghouse may not be used to pack sand pears for export to the United States until any mitigation measures determined by APHIS to be necessary to prevent future infestations are taken.
- (4) The pears must be treated in accordance with 7 CFR part 305 and the operational workplan.

[77 FR 75010, Dec. 19, 2012]

§ 319.56-58 Bananas from the Philippines.

Bananas (Musa spp., which include M. acuminate cultivars and M. acuminate x M. balbisiana hybrids) may be imported into the continental United States from the Philippines only under the conditions described in this section. These conditions are designed to prevent the introduction of the following quarantine pests: Bactrocera musae (Tryon), Bactrocera occipitalis (Bezzi), and Bactrocera philippinensis (Drew and Hancock), fruit flies; Ceroplastes rubens (Maskell), the red wax scale; Coccus viridis (Green), the green scale; Sybra alternans (Wiedemann), a longhorned beetle: Dumicoccus neobrevipes (Beardsley), the gray pineapple mealybug; Geococcus coffeae (Green), the coffee root mealybug; Maconellicoccus hirsutus (Green), the hibiscus mealybug; Planococcus lilacinus (Cockerell), the coffee mealybug; Planococcus minor (Maskell), the pacific mealybug; Pseudococcus cryptus (Hempel), the cryptic mealybug; Rastrococcus(Williams), invadens the mango mealybug; and Rastrococcus spinosus (Robinson), the Philippine mango mealybug.

- (a) General requirements. (1) The national plant protection organization (NPPO) of the Philippines must provide an operational workplan to APHIS that details the activities that the NPPO of the Philippines will, subject to APHIS' approval of the workplan, carry out to meet the requirements of this section.
- (2) Bananas must be grown at places of production that are registered with the NPPO of the Philippines and that meet the requirements of this section. Registration must be renewed annually.

- (3) Bananas must be packed for export to the United States in packing-houses that meet the requirements of this section.
- (4) Bananas from the Philippines may be imported in commercial consignments only.
- (b) Monitoring and oversight. (1) The NPPO of the Philippines must visit and inspect registered places of production monthly, starting at least 3 months before harvest begins and continuing through the end of the shipping season, to verify that the growers are complying with the requirements of this section and follow pest control guidelines, when necessary, to reduce quarantine pest populations. When trapping is required under paragraph (c) of this section, the NPPO of the Philippines must also verify that the growers are complying with the requirements in that paragraph and must certify that each place of production has an effective fruit fly trapping program. Any personnel conducting trapping under paragraphs (c) of this section must be trained and supervised by the NPPO of the Philippines. APHIS may monitor the places of production as necessary to ensure compliance.
- (2) If the NPPO of the Philippines finds that a place of production or packinghouse is not complying with the requirements of this section, no fruit from the place of production or packinghouse will be eligible for export to the United States until APHIS and the NPPO of the Philippines conduct an investigation and appropriate remedial actions have been implemented.
- (3) The NPPO of the Philippines must retain all forms and documents related to export program activities in places of production and packinghouses for at least 1 year and, as requested, provide them to APHIS for review.
- (c) Fruit fly trapping to establish places of production with low pest prevalence. Beginning at least 3 months before harvest begins and continuing through the end of the harvest, trapping must be conducted in registered places of production with at least 1 trap per 0.2 square kilometers to demonstrate that the places of production have a low prevalence of Bactrocera spp. fruit flies. APHIS-approved traps baited with APHIS-approved plugs must be used

- and serviced at least once every 2 weeks. During the trapping, when traps are serviced, if fruit flies are trapped at a particular place of production at cumulative levels above 2 flies per trap per day, pesticide bait treatments must be applied in the affected place of production in order for the place of production to remain eligible to export bananas to the United States. The NPPO of the Philippines must keep records of fruit fly detections for each trap, update the records each time the traps are checked, and make the records available to APHIS inspectors upon request. If no *Bactrocera* spp. larvae have been found in the inspections required in paragraph (h) of this section by February 9, 2015, the activities described in this paragraph are no longer required.
- (d) Bagging requirements. Plastic bags impregnated with pesticides must cover the bananas. During the growing period, if a pesticide bag falls off or is torn, the fruit that had been in that bag may not be exported to the United States.
- (e) Harvesting requirements. (1) Bananas must be harvested at a hard green stage and inspected at the port of entry to determine that:
- (i) Bananas shipped by air are still green upon arrival in the United States;
- (ii) Bananas shipped by sea are either green upon arrival in the United States or yellow but firm.
- (2) Harvested bananas must be placed in field cartons or containers that are marked to show the official registration number of the place of production. The identification of the place of production must be maintained from the time when the fruit leaves the place of production until the fruit is released for entry into the United States.
- (f) Post-harvest processing. After harvest, all damaged or diseased fruit must be culled at the packinghouse. Fruit must be washed with a high pressure water spray, and washed with soap and water.
- (g) Packinghouse requirements. (1) Packinghouses must prevent the entry of pests with a double-door entry system designed to exclude quarantine pests of concern.
- (2) Bananas for export must be packed into new, clean boxes, crates or

§319.56-59

other packing materials. Bananas intended for export to the United States must be labeled with the name and location for the packinghouse, and segregated from bananas intended for other markets.

- (3) The shipping documents accompanying the consignment of bananas from the Philippines that are exported to the United States must include the official registration number of the place of production at which the bananas were grown and must identify the packinghouse in which the fruit was processed and packed. This identification must be maintained until the fruit is released for entry into the United States.
- (4) The packinghouse operations for export of bananas must be monitored by the NPPO of the Philippines.
- (h) NPPO of the Philippines inspection.
 (1) Following any post-harvest processing, inspectors from the NPPO of the Philippines must certify that bananas were harvested at the hard green stage.
- (2) Inspectors from the NPPO of the Philippines must inspect a biometric sample of the fruit from each place of production at a rate to be determined by APHIS. The inspectors must visually inspect for quarantine pests listed in the introductory text of this section and must cut fruit to inspect for quarantine pests that are internal feeders. If Bactrocera spp. fruit flies are found upon inspection, the export program will be suspended until an investigation has been conducted by APHIS and the NPPO of the Philippines and appropriate mitigations have been implemented. If other quarantine pests are detected in this inspection, the consignment will be destroyed and the registered place of production will be rejected from the export program.
- (i) Phytosanitary certificate. Each consignment of fruit must be accompanied by a phytosanitary certificate issued by the NPPO of the Philippines that contains an additional declaration stating that the bananas in the consignment were grown, packed, and inspected in accordance with the systems approach in 7 CFR 319.56–58.

(Approved by the Office of Management and Budget under control number 0579–0394)

[78 FR 8959, Feb. 7, 2013]

§319.56-59 Fresh citrus fruit from Uruguay.

Sweet oranges (Citrus sinensis (L.) Osbeck), lemons (C. limon (L.) Burm. f.), mandarins (C. reticulata Blanco, C. clementina Hort, ex Tanaka, C. deliciosa Ten., and C. unshiu Marcow), Citrus hybrids, Fortunella japonica (Thunb.) Swingle, and F. margarita (Lour.) Swingle may be imported into the continental United States from Uruguay only under the conditions described in this section. These species are referred to collectively in this section as "citrus fruit." These conditions are designed to prevent the introduction of pests: following quarantine fraterculus, AnastrephaCeratitis capitata, Cryptoblabes gnidiella, Elsinoë australis, Gymnandrosoma aurantianum, and Xanthomonas citri subsp. citri.

- (a) Commercial consignments. Citrus fruit from Uruguay may be imported in commercial consignments only.
- (b) General requirements. (1) The national plant protection organization (NPPO) of Uruguay must provide a bilateral workplan to APHIS that details the activities that the Uruguayan NPPO will, subject to APHIS' approval of the workplan, carry out to meet the requirements of this section. APHIS will be directly involved with the Uruguayan NPPO in monitoring and auditing implementation of the systems approach.
- (2) All places of production and packinghouses that participate in the export program must be registered with the Uruguayan NPPO.
- (3) The fruit must be grown at places of production that meet the requirements of paragraphs (d) and (e) of this section.
- (4) The fruit must be packed for export to the United States in a packing-house that meets the requirements of paragraph (f) of this section. The place of production where the fruit was grown must remain identifiable when the fruit leaves the grove, at the packinghouse, and throughout the export process. Boxes containing fruit must be marked with the identity and origin of